



# COVID-19 INDUSTRY GUIDANCE: Fitness Facilities

**October 20, 2020**

*This guidance is designed to address sectors and activities opening statewide. However, local health officers may implement more stringent rules tailored to local epidemiological conditions, so employers should also confirm relevant local opening policies.*



# OVERVIEW

On March 19, 2020, the State Public Health Officer and Director of the California Department of Public Health issued an order requiring most Californians to stay at home to disrupt the spread of COVID-19 among the population.

The impact of COVID-19 on the health of Californians is not yet fully known. Reported illness ranges from very mild (some people have no symptoms) to severe illness that may result in death. Certain groups, including people aged 65 or older and those with serious underlying medical conditions, such as heart or lung disease or diabetes, are at higher risk of hospitalization and serious complications. Transmission is most likely when people are in close contact or in a poorly ventilated area with an infected person, even if that person does not have any symptoms or has not yet developed symptoms.

Precise information about the number and rates of COVID-19 by industry or occupational groups, including among critical infrastructure workers, is not available at this time. There have been multiple outbreaks in a range of workplaces, indicating that workers are at risk of acquiring or transmitting COVID-19 infection. Examples of these workplaces include hospitals, long-term care facilities, prisons, food production, warehouses, meat processing plants, restaurants, and grocery stores.

As stay-at-home orders are modified, it is essential that all possible steps be taken to ensure the safety of workers and the public.

Key prevention practices include:

- ✓ physical distancing to the maximum extent possible,
- ✓ use of face coverings by workers (where respiratory protection is not required) and fitness facility patrons,
- ✓ frequent handwashing and regular cleaning and disinfection,
- ✓ training workers on these and other elements of the COVID-19 prevention plan.

In addition, it will be critical to have in place appropriate processes to identify new cases of illness in workplaces and, when they are identified, to intervene quickly and work with public health authorities to halt the spread of the virus.

# PURPOSE

This document provides guidance for fitness facilities to support a safe, clean environment for workers, customers, and the public. Businesses must identify and monitor the County Risk Level for the county the business is operating in and make required adjustments to their operations:

- **Purple – Widespread – Tier 1:** Only outdoor operations are permitted. Outdoor operations may be conducted under a tent, canopy, or other sun shelter as long as no more than one side is closed, allowing sufficient outdoor air movement. Outdoor pools can open. Outdoor hot tubs can open only for use by household groups or in cases where six feet of distancing can be maintained. Indoor pools, hot tubs, saunas, and steam rooms must remain closed. Gyms and fitness centers must follow this guidance.
- **Red – Substantial – Tier 2:** Indoor operations are permitted but must be limited to 10% capacity. Indoor pools, hot tubs, saunas, and steam rooms must remain closed. Gyms and fitness centers must follow this guidance.
- **Orange – Moderate – Tier 3:** Indoor operations are permitted but must be limited to 25% capacity. Indoor pools can open when physical distancing can be maintained for non-household groups. Indoor pools do not include any indoor water parks or water rides. Indoor hot tubs, saunas, and steam rooms must remain closed. Gyms and fitness centers must follow this guidance.
- **Yellow – Minimal – Tier 4:** Indoor operations are permitted but must be limited to 50% capacity. Indoor pools, hot tubs, saunas, and steam rooms can open but physical distancing must be maintained for non-household groups. Indoor pools do not include any indoor water parks or water rides. Gyms and fitness centers must follow this guidance.

For the most updated information on county status, visit [Blueprint for a Safer Economy](#). Please note that local health departments can have more restrictive criteria and different closures. Find [your county's local information](#).

**NOTE:** Fitness facilities may have a number of operational aspects and service offerings available in other guidance on the [Industry Guidance to Reduce Risk](#) website. Operators must review and adhere to the modifications in the guidance. Such operations include:

- Food service, snack or juice bars, and concessions (Restaurant guidance)
- Gift shops and retail operations (Retail guidance)
- Child care (Child Care guidance)
- Non-professional and amateur sports (Higher Education guidance)
- Youth sports (Youth Sports guidance)
- Outdoor recreation (Campgrounds, RV Parks, and Outdoor Recreation guidance)

- Janitorial or custodial services (Limited Services guidance)
- Outdoor playgrounds (see [CDPH Outdoor Playground guidance](#))

The guidance is not intended to revoke or repeal any worker rights, either statutory, regulatory or collectively bargained, and is not exhaustive, as it does not include county health orders, nor is it a substitute for any existing safety and health-related regulatory requirements such as those of Cal/OSHA.<sup>1</sup> Stay current on changes to public health guidance and state/local orders, as the COVID-19 situation continues. Cal/OSHA has more safety and health guidance on their [Cal/OSHA Guidance on Requirements to Protect Workers from Coronavirus webpage](#). CDC has additional for [businesses and employers](#).

## Required Use of Face Coverings

On June 18, CDPH issued [Guidance on the Use of Face Coverings](#), which broadly requires the use of face coverings for both members of the public and workers in all public and workplace settings where there is a high risk of exposure. Complete details, including all requirements and exemptions to these rules, can be found in the [guidance](#).

The [CDPH Face Covering Guidance](#) is subject to additional updates based on the current scientific understanding of transmission of the virus causing COVID-19. Please check the CDPH website for any revisions.



## Workplace Specific Plan

- Establish a written, workplace-specific COVID-19 prevention plan at every facility, perform a comprehensive risk assessment of all work areas and work tasks, and designate a person at each facility to implement the plan.
- Incorporate the [CDPH Face Covering Guidance](#) into the Workplace Specific Plan and include a policy for handling exemptions.
- Identify contact information for the local health department where the facility is located for communicating information about COVID-19 outbreaks among workers or patrons.
- Train and communicate with workers and worker representatives on the plan and make the plan available to workers and their representatives.
- Regularly evaluate the workplace for compliance with the plan and document and correct deficiencies identified.
- Investigate any COVID-19 illness and determine if any work-related factors could have contributed to risk of infection. Update the plan as needed to prevent further cases.
- Implement the necessary processes and protocols when a workplace has an outbreak, in accordance with [CDPH guidelines](#) and orders or guidance from the local health department.
- Identify close contacts (within six feet for 15 minutes or more) of an infected worker and take steps to isolate COVID-19 positive worker(s) and close contacts.
- Notify all employees in writing, and employers of subcontracted employees, who may have been exposed to COVID-19 and report workplace outbreaks to the local health department. For additional information on employer responsibilities under [AB 685](#) (Chapter 84, Statutes of 2020), refer to the [Enhanced Enforcement and Employer Reporting Requirements](#) from Cal/OSHA and the [Employer Questions about AB 685](#) from CDPH.
- **For outdoor operations:** Establish an effective heat illness prevention plan with written procedures. See the [Cal/OSHA heat illness prevention page](#) for resources, including FAQs, a webinar, and a sample written plan. Elements of a heat illness prevent plan include:
  - Access to water
  - Access to shade
  - Cool down breaks

- Emergency procedures for heat illness cases
- Monitoring of employees who are acclimatizing during a heat wave
- Training on heat illness prevention and symptoms
- Adhere to the guidelines below. Failure to do so could result in workplace illnesses that may cause operations to be temporarily closed or limited.



## Topics for Worker Training

- Information on [COVID-19](#), how to prevent it from spreading, and which [people are at higher risk](#) for severe illness or death.
- Self-screening at home, including temperature and/or symptom checks using [CDC guidelines](#).
- The importance of not coming to work:
  - If a worker has symptoms of COVID-19 as [described by the CDC](#), such as a fever or chills, cough, shortness of breath or difficulty breathing, fatigue, muscle or body aches, headache, new loss of taste or smell, sore throat, congestion or runny nose, nausea, vomiting, or diarrhea, OR
  - If a worker was diagnosed with COVID-19 and has not yet been released from isolation, OR
  - If, within the past 14 days, a worker has had contact with someone who has been diagnosed with COVID-19 and is considered potentially infectious (i.e. still on isolation).
- To return to work after a worker receives a COVID-19 diagnosis only after meeting [CDPH Guidance on Returning to Work or School Following COVID-19 Diagnosis](#).
- To seek medical attention if their symptoms become severe, including persistent pain or pressure in the chest, confusion, or bluish lips or face. Updates and further details are available on [CDC's webpage](#).
- The importance of frequent handwashing with soap and water, including scrubbing with soap for 20 seconds (or using hand sanitizer with at least 60% ethanol (preferred) or 70% isopropanol (if the product is inaccessible to unsupervised children) when workers cannot get to a sink or handwashing station, per [CDC guidelines](#)). Never use hand sanitizers with [methanol](#) due to its high toxicity to both children and adults.
- The importance of physical distancing, both at work and off work time (see Physical Distancing section below).

- Proper use of face coverings, including:
  - Face coverings are not personal protective equipment (PPE).
  - Face coverings do not replace the need for physical distancing and frequent handwashing.
  - Face coverings must cover the nose and mouth.
  - Workers should wash or sanitize hands before and after using or adjusting face coverings.
  - Avoid touching eyes, nose, and mouth.
  - Face coverings must not be shared and should be washed or discarded after each shift.
- Information contained in the [CDPH Guidance for the Use of Face Coverings](#), which mandates the circumstances in which face coverings must be worn and the exemptions, as well as any policies, work rules, and practices the employer has adopted to ensure the use of face coverings. Training should also include the employer's policies on how people who are exempted from wearing a face covering will be handled.
- Heat illness symptoms and prevention following [Cal/OSHA requirements](#).
- Ensure independent contractors, temporary, or contract workers at the facility are also properly trained in COVID-19 prevention policies and have necessary supplies and PPE. Discuss these responsibilities ahead of time with organizations supplying temporary and/or contract workers.
- Information on paid leave benefits the worker may be entitled to receive that would make it financially easier to stay at home. See additional information on [government programs supporting sick leave and workers' compensation for COVID-19](#), including workers' sick leave rights under the [Families First Coronavirus Response Act](#).



## Individual Control Measures and Screening

- Provide temperature and/or symptom screenings for all workers at the beginning of their shift and any vendors or contractors entering the facility. Make sure the temperature/symptom screener avoids close contact with workers to the extent possible.
- If requiring self-screening at home, which is an appropriate alternative to providing it at the establishment, ensure that screening was performed prior to the worker leaving the home for their shift and follows [CDC guidelines](#), as described in the Topics for Worker Training section above.

- Encourage workers who are sick or exhibiting symptoms of COVID-19 to stay home.
- Employers must provide and ensure workers use all required protective equipment, including eye protection and gloves where necessary.
- Employers should consider where disposable glove use may be helpful to supplement frequent handwashing or use of hand sanitizer; examples are for workers who are screening others for symptoms or handling commonly touched items.
- Workers who consistently must be within six feet of patrons or co-workers must wear a secondary barrier (e.g., face shield or safety goggles) in addition to a face covering. All employees should minimize the amount of time spent within six feet of guests.
- Workers should wash hands on arrival at work, after working with each fitness facility member, after touching their face covering, after using the restroom, and when leaving work.
- If indoors, workers and patrons must wear face coverings at all times except when showering or swimming where indoor pools are allowed to open. Showering at home is encouraged where possible.
- The CDPH guidance exempts workers and patrons from wearing face coverings while engaged in exercise outdoors, as long as they are able to maintain a distance of at least six feet from others.
- If possible, implement a reservation system for the facility. Utilize the reservation system to contact patrons with reservations 24 hours before their scheduled arrival to confirm their reservation and ask if they or someone in their household is exhibiting any COVID-19 symptoms. If the patron answers in the affirmative the patron should be reminded that they should only utilize the fitness facility if they do not pose a health risk to other patrons or fitness facility workers. Such communication can be done via app, email, or text, if possible. Consider limiting the duration of use for patrons to accommodate more clients while maintaining capacity restrictions.
- Remind patrons in advance to bring a face covering, otherwise they should not be allowed to enter the premises unless exempted per the [CDPH Face Covering Guidance](#). Consider making face coverings available for patrons who may arrive without them.
- Patrons should be temperature and/or symptom screened upon arrival and asked to use hand sanitizer and to wear face coverings in accordance with CDPH guidance. Operators have the right to cancel reservations for individuals/parties with symptomatic patrons and refuse entry.

- Fitness facilities must take reasonable measures, including posting signage at all entrances and in strategic and highly-visible locations, to remind workers and the public about the use of face coverings and the importance of practicing physical distancing.



## Ventilation, Cleaning, and Disinfecting Protocols

- Where possible, install portable high-efficiency air cleaners, upgrade the building's air filters to the highest efficiency possible, and make other modifications to increase the quantity of outside air and ventilation in offices and other spaces.
- Check the [CDPH website](#) periodically for updates on indoor air quality and ventilation guidance for airborne diseases in indoor settings.
- Evaluate the existing ventilation, cleaning, and disinfecting protocols for the fitness facility, including reception areas, locker rooms, restrooms, changing areas, and showers and update the protocols where necessary. Fitness facilities should be prepared to:
  - Clean HVAC intakes and returns daily.
  - Develop a detailed schedule and adjust or modify operating hours to provide adequate time for regular, thorough cleaning and disinfecting throughout the day.
  - Perform thorough cleaning throughout the day in high traffic areas, such as reception and lobby areas, changing rooms, locker rooms, and break rooms and areas of ingress and egress including stairways, stairwells, escalators, handrails, and elevator controls.
  - Frequently disinfect commonly used surfaces, including personal exercise machines and equipment, countertops, vending machines, doorknobs, and hand washing facilities.
  - Provide time for workers to implement cleaning practices during their shift. Cleaning assignments should be assigned during working hours as part of the workers' job duties.
  - Make sure all workers have been trained to use and have an adequate supply of all-purpose cleaners and disinfectants, when needed. Follow the complete [CDC guidelines for cleaning and disinfection](#). Follow Cal/OSHA requirements and manufacturer instructions for safe use and required personal protective equipment for cleaning products.
  - Workers should have enough ventilation (air flow) in areas where

they are disinfecting. If cleaning in a bathroom or other small space, make sure the door and windows are propped open.

- Workers should be supplied with first aid supplies, including bandages or other items to cover any cuts, scratches, or open wounds on skin and have sufficient supply to change the bandages often.
- Patrons should be reminded to maintain six feet of distance from janitorial or custodial workers. Implement a process to regularly check in with workers to ensure visitors are following this protocol. Ensure workers are able to share such information without fear of reprisal or retaliation.
- Procure options for third-party cleaning companies to assist with the increased cleaning demand, as needed.
- Equip entrances and exits, exercise machines, fitness rooms, changing rooms and locker rooms, and other areas with proper sanitation products, including hand sanitizer and sanitizing wipes, and provide personal hand sanitizers to workers who regularly engage with patrons (e.g., reception workers).
- Require patrons to disinfect individual exercise equipment, mats, and machines before and after use with provided disinfecting wipes. Ensure that lined, non-touch trash receptacles are available throughout the fitness facility to dispose of used wipes.
- If members are unable or unwilling to wipe/disinfect equipment after exercise, provide “ready to clean” tags for members to place on equipment after use, to ensure equipment is disinfected before the next use.
- Consider implementing a check-out system for patrons to utilize any small equipment and accessories (i.e. exercise bands, ropes, mats, foam rollers, etc.). Develop a process to clean and disinfect these items upon return.
- Follow [CDC guidelines](#) to ensure that all water systems are safe to use after a prolonged facility shutdown to minimize the risk of [Legionnaires' disease](#) and other diseases associated with water.
- Wherever possible, install touchless, automatic water dispensers for use with personal, reusable water bottles or single-use, disposable paper cups. Display signage reminding workers and patrons that the bottle or cup should not touch the water dispenser. If a touchless water dispenser is not feasible, remind workers and patrons to wash their hands or use proper hand sanitizer before and after touching the water release button on drinking fountains.
- Encourage patrons to bring their own towels and mats and consider disbanding the provision of any facility-provided towels or personal

hygiene products.

- For any towels, cloth wipes, or other laundered items that are used at the facility, follow [CDC guidelines](#) for those items. Provide a closed container where patrons can place used towels or other items. Ensure those items cannot be used again until properly laundered either by a commercial laundering service or a laundering process which includes immersion in water of at least 160 degrees Fahrenheit for at least 25 minutes. Store all clean linens in a clean, covered place. Ensure workers who handle dirty linens or laundry wear gloves.
- Workers and patrons should avoid shaking hands, bumping fists or elbows, and should maintain physical distance unless unavoidable. Workers should also avoid sharing tools, phones, electronics, and office supplies as much as possible and, where feasible, ensure workers have dedicated workstations for their personal use. Never share PPE.
- When choosing disinfecting chemicals, use products approved for use against COVID-19 on the [Environmental Protection Agency \(EPA\)-approved](#) list and follow product instructions. Use disinfectants labeled to be effective against emerging viral pathogens, diluted household bleach solutions (5 tablespoons per gallon of water), or alcohol solutions with at least 70% alcohol that are appropriate for the surface. Provide workers training on the chemical hazards, manufacturer's directions, ventilation requirements, and Cal/OSHA requirements for safe use. Workers using cleaners or disinfectants must wear gloves and other protective equipment as required by the product. Follow the [asthma-safer cleaning methods](#) recommended by the California Department of Public Health and ensure proper ventilation.
- Where possible, do not clean floors by sweeping or other methods that can disperse pathogens into the air unless all persons in the area have appropriate PPE. Use a vacuum with a HEPA filter wherever possible.
- Place signage throughout the fitness facility emphasizing basic infection prevention measures, including the importance of wearing face coverings and frequent handwashing.



## Physical Distancing Guidelines

- **WARNING:** physical distancing alone is insufficient to prevent transmission of COVID-19 and physical distances greater than six feet are recommended for high-exertion activities.
- Implement measures to ensure physical distancing of at least six feet between and among workers and patrons. This can include use of physical partitions or visual cues (e.g., floor markings, colored tape, or signs to indicate to where workers and/or patrons should stand during

check-in at reception areas or when waiting to use equipment).

- Space equipment at least six feet apart, with greater distancing for treadmills and other high-exertion aerobic fitness equipment. Equipment can be arranged in an “X” pattern to provide greater distancing. Physical barriers can also be helpful to minimize exposure between patrons or segregate exercise areas.
- Equip the front desk area with Plexiglas or other impermeable barriers, if feasible, to minimize the interaction between reception workers and patrons. Implement virtual, touchless check-in tools, if possible, so that patrons do not have to utilize the reception space.
- Consider implementing special hours designated for high risk or medically-vulnerable populations, including seniors with admittance by reservation only.
- For outdoor operations, establish an outdoor reception area where patrons can check in while still following physical distancing guidelines. Take measures at reception desks or other areas where physical distancing cannot be maintained to minimize exposure between workers and customers, such as Plexiglas or other barriers.
- For outdoor operations, create outdoor break areas with shade covers and seating that ensures physical distancing, where possible.
- Consider the following modifications to maintain physical distancing:
  - Implementing an online reservation-based system, as suggested in the Individual Control Measures and Screening section of this document, to avoid patrons queuing in the facility or outside and help maintain occupancy levels.
  - Permitting only those patrons that are actually exercising inside the facility. Patrons should not wait in the reception area.
  - Using one-way foot traffic patterns throughout the fitness facility with visual cues and signs.
  - Staggering available lockers in locker rooms to maintain physical distancing.
  - Spacing all equipment and machines at least six feet apart or taking some out of service to achieve physical distancing.
  - Adjusting personal training so that the exercise instructor maintains a minimum of six feet of physical distance.
  - Modifying group training classes to limit the class size to ensure a minimum of six feet of physical distance between patrons and/or move the classes outdoors or to larger spaces like full-sized basketball

courts, if possible. Group exercise classes should only be offered if distancing requirements can be maintained and there is no person-to-person physical contact.

- High contact programs that require close contact less than six feet in distance should be suspended. This would include activities such as group sporting events, organized intermural activities, pick-up basketball, or organized races.
- Adjust in-person meetings for workers, if they are necessary, to ensure physical distancing and use virtual options or smaller meetings at facilities to maintain physical distancing guidelines.
- Consider offering workers who request modified duties options that minimize their contact with patrons and other workers (e.g., managing administrative needs through telework).
- Stagger worker breaks, in compliance with wage and hour regulations, to maintain physical distancing protocols.
- Ensure workers can maintain physical distance in breakrooms, using barriers, increasing distance between tables/chairs to separate workers, etc. Where possible, create outdoor break areas with shade coverings and seating arrangements that ensures physical distancing. Discourage workers from congregating during breaks and ensure they are not eating or drinking without face coverings within six feet of each other.



## Additional Considerations for Communal Restrooms and Shower Facilities

- Fitness facilities should consider staffing and other capacity and resource needs to ensure that locker rooms and shower facilities can be cleaned and disinfected regularly throughout the day.
- Shared restroom facilities and locker rooms should be cleaned regularly throughout the day using [EPA-registered disinfectants](#). High-touch surfaces such as faucets, toilets, doorknobs, and light switches must be frequently cleaned and disinfected.
- Create and post a cleaning schedule for the restroom facilities and locker rooms. Post the cleaning schedule on the front of the door so patrons know when they can/cannot use the restroom and/or locker room. Make sure to close the restroom during the cleaning and disinfecting process.
- Consider using a checklist or audit system to track how often cleaning is conducted.

- Only allow shower and locker room use if partitions are in place or signs have been posted to specify physical distancing requirements. If partitions or proper distancing are not possible, these facilities should remain closed.
- Ensure that sanitary facilities stay operational and are continuously stocked at all times. Provide additional soap, paper towels, and hand sanitizer when needed. Install hands-free devices, if possible, including motion sensor sinks faucets, soap dispensers, sanitizer dispensers, and paper towel dispensers.
- Consider modifying doors to multi-stall restrooms to be able to be opened and closed without touching the handles, using opening-devices, or powered door operators with the hand, whenever possible. If the door cannot be opened without touching the handle or door-operator with the hand, place a trash-receptacle by the door to ensure a paper towel can be readily disposed of when operating the door. The location and positioning of waste receptacles should not interfere with egress, evacuation, emergency equipment, or any reasonable accommodations provided under the Americans with Disabilities Act. Make sure trash cans are emptied regularly.
- Provide information on how to wash hands properly, including hanging signs in restrooms.



## Additional Considerations for Swimming Pools / Aquatic Venues

- Fitness facilities with swimming pools, splash pads, hot tubs, saunas, and steam rooms must take additional steps to ensure those facilities are properly cleaned and disinfected for patron use, according to [CDC guidelines](#).
- Facilities with an openly accessible outdoor hot tub must ensure that at least six feet of distancing is maintained at all times between hot tub users not from the same household or limit its use to one household group at a time.
  - Patrons should remove face coverings while they are in the hot tub, due to the likelihood they will become wet, but must wear them as required when outside of the hot tub.
  - Facilities should provide a receptacle for collection of used towels for laundry, and clean and disinfect high touch surfaces regularly.
  - Post signage regarding distancing and face covering requirements.

- Facility staff must monitor compliance with distancing requirements and, if it is not possible to consistently maintain distancing, must discontinue use of the hot tub.
- Hot tub operations with individual, private outdoor hot tubs for hire must limit their use to one household group at a time.
  - Patrons should remove face coverings while they are in the hot tub, due to the likelihood they will become wet, but must wear them as required when outside of the hot tub.
  - Post signage regarding face covering requirements.
  - Between hot tub uses, operators should collect any used towels for laundry. Clean and disinfect high touch surfaces.
- For indoor pools, face coverings must be worn when out of the water or shower areas, unless exempt from the CDPH guidance. Cloth face coverings can be difficult to breathe through when they are wet. Face coverings should be put away when not in use so they are not accidentally touched or picked up by others.
- For outdoor pools, face coverings must be worn when out of the water, unless exempt under the CDPH guidance.
- Maintain proper disinfectant levels (1-10 parts per million free chlorine or 3-8 ppm bromine) and pH (7.2-8).
- Consult with the company or engineer that designed the aquatic venue to decide which [List N disinfectants approved by the EPA](#) are best for the aquatic venue. Ensure the [safe and correct use](#) and storage of disinfectants, including storing products securely away from children.
- Set up a system so that furniture and equipment (e.g., lounge chairs) that needs to be cleaned and disinfected is kept separate from furniture that has already been cleaned and disinfected. Label containers for used equipment that has not yet been cleaned and disinfected and containers for cleaned and disinfected equipment.
- Encourage patrons to bring and use their own towels wherever possible. If the facility is providing them, launder towels according to the manufacturer's instructions. Use the warmest appropriate water temperature and dry items completely. Handle towels with disposable gloves and minimal disturbance, i.e., do not shake them.
- Discourage people from sharing items, particularly those that are difficult to clean and disinfect or those that are meant to come in contact with the face (e.g., goggles, nose clips, and snorkels).
- Ensure that the facility has adequate equipment for patrons, such as kick

boards, pool noodles, and other flotation devices, to minimize sharing wherever possible. Clean and disinfect the items after each use.

- For indoor aquatic venues, introduce and circulate outdoor air as much as possible by opening windows and doors, using fans, or other methods. However, do not open windows and doors if doing so poses a safety risk to workers, patrons, or swimmers.
- Change the deck layout and other areas surrounding the pool to ensure that the standing and seating areas can support physical distancing requirements. This could include removing lounge chairs or taping off areas to discourage use.
- Provide physical cues or guides (e.g., lane lines in the water or chairs and tables on the deck) and visual cues (e.g., tape on the decks, floors, or sidewalks) and signs to ensure that workers, patrons, and swimmers stay at least six feet apart from one another, both in and out of the water.
- Where feasible, install impermeable physical barriers such as Plexiglas where workers and patrons must interact and physical distancing is difficult.
- Consider implementing reservations for pool use or implementing other mechanisms to support physical distancing. This could include reserving full-lanes for individual lap swimming, maintain swimmers in alternating lanes, and half-lanes for individual household use.
- Ensure that lifeguards who are actively lifeguarding are not also expected to monitor handwashing, use of cloth face coverings, or physical distancing. Assign this monitoring responsibility to another worker.
- Aquatic venues should avoid activities that promote group gatherings and should be aware of state and local policies on youth and adult sports and gathering requirements to determine if aquatic fitness classes, swim lessons, swim team practices, swim meets, or pool parties can be held.
- CDC's [Model Aquatic Health Code](#) has more recommendations to prevent illness and injuries at public pools in parks.

---

<sup>1</sup>Additional requirements must be considered for vulnerable populations. Fitness facilities must comply with all [Cal/OSHA](#) standards and be prepared to adhere to its guidance as well as guidance from the [Centers for Disease Control and Prevention \(CDC\)](#) and the [California Department of Public Health \(CDPH\)](#). Additionally, employers must be prepared to alter their operations as those guidelines change.

